		1
		-
INTRODU	ICTION TO VBA	
PROGRA	MMING	
LESSON5	dario.bonino@polito.it	
@ 0 G O	e-Lite	
UP NO SI	を	
Agendo	a	
Strings		
□ Iterative	constructs	
□ For – N		
□ Do – Lo		
	ille –Loop	
	oop While	
□ Do Unt		
□ Do – Lo	oop Until	
Introdu	ction to VBA programming - (c) 2009 Dario Bonino	
		1
Stri	nas	
	9.	
		-
		-
Introdu	ction to VBA programming - (c) 2009 Dario Bonino	

Strings

- Variables that hold text
- □ Can contain up to 2³¹ characters
- □ Declared as
 - □ Dim myString As String
- Operators
 - \blacksquare & concatenation
 - myString = "hello", myString2="world"
 - myString & myString2 → "helloworld";

Introduction to VBA programming - (c) 2009 Dario Bonino

String Functions

- Len(myString)
 - □ Counts the number of characters in myString
- □ Left(myString,8)
 - Returns the first 8 characters of myString
- Right(myString,5)
 - Returns the last 5 characters of myString
- □ Mid(myString, 4,3)
 - Returns 3 characters of myString starting from the 4th character from the left (included)

Introduction to VBA programming - (c) 2009 Dario Bonino

Examples

- □ myString = "Hello Everybody"
- □ X = Len(myString) \rightarrow X = 15
- □ A = Left(myString,5) → A = "Hello"
- □ B = Right(myString,6) → B = "rybody"

String Functions (cont.d)

- □ myString = "The lazy dog sleeps in the garden"
- Instr(1, myString, "sleeps")
 - Returns the position of the first occurrence of the "sleeps" string in myString starting to search from position 1
 - □ E.g. 14
- myString = UCase(myString) →
 myString = "THE LAZY DOG..."
- □ myString = LCase(myString) →
 myString = "the lazy dog..."

Introduction to VBA programming - (c) 2009 Dario Bonino

String Functions (cont.d)

- □ Val(myString)
 - $\hfill\Box$ Converts myString to a number
 - □ If myString starts with a number and then includes characters, only the first number is converted
 - □ If myString starts with characters
 Val(myString) returns 0

Introduction to VBA programming - (c) 2009 Dario Bonino

ASCII codes

- Characters are represented by numbers
- □ Codes from 0 to 128 are equal for every machine
- □ Standard ASCII set □ (0-128)

Extended ASCII Code characters
Other characters
a-z (lowercase letters)
Other characters
A-Z (uppercase letters)
Other characters
0-9 (digits)
Other characters
Character SPACE
Other characters

ASCII-related functions					
Asc(string)Returns the ASCII code of the first character of string	 Chr (number) Returns the character corresponding to a given ASCII code 				
E.g.Asc("Hello") = 72Asc("hello")=104	E.g.Chr(72) = "H"Chr(104) = "h"				
Introduction to VBA programming - (c) 2009 Dario Bonino					

Co	m	n	α	rı	15	\cap	n
\sim		М	u		9	\circ	11

- □ If(myString = "Hello") Then ...
 - $\hfill \Box$ Comparison performed by comparing ASCII codes from left to right
 - $lue{}$ Same characters ightarrow compare the next couple
 - □ Different characters → their relation establishes the relation between the compared strings
 - lacktriangledown Same characters, same lenght ightarrow strings are equal
 - □ Different lenght, the shorter is a prefix for the longer
 → the longer is "greater"

Introduction to VBA programming - (c) 2009 Dario Bonino

Example

"aid" < "basket"
"help" > "hello"
"help" = "help"
"help" < "help me"
Introduction to VBA programming - (c) 2009 Dario Bonino

	1
String Exercises	
Introduction to VBA programming - (c) 2009 Dario Bonino	
Exercise 1	
Write a program that given a string scrambles it by applying the following algorithm:	
Split the string in two substrings	
 The first substring length shall be randomly selected The second substring is given by difference between the original 	
string and the first substring Compose the final string by concatenating the first half of the	
first string with the second half of the second string. Then concatenate the resulting string with the second half of the first	
string and with the first half of the second string. Suggestion:	
Rnd() returns a random number between 0 and 1	
 Rnd() must be preceded by a call to Randomize (at the beginning of the program) 	
Introduction to VBA programming - (c) 2009 Dario Bonino	
Iterative Constructs	
For-Next	
Introduction to VBA programming - (c) 2009 Dario Bonino	

Why Loops?		
Suppose we have to compute the factorial of a user-entered		
number N □ We do not know N → cannot write the computation a priori □ We know how to compute 4!		
■ 4! = 1*2*3*4 We can compute N! If we are able to perform		
 N! = 1*2*3*4**N-1*N We need to repeat the base operation 		
□ (N)! = (N-1)! * N □ Given that 0! = 1		
1! = 0!*1=1*1=1 2! = 1!*2=1*2 = 2		
■ 3! = 2!*3=2*3=6		
Introduction to VBA programming - (c) 2009 Dario Bonino		
	1	
Why Loops?		
We need to repeat a given operation many times Factorial example Ask many information to the user		
■ We need to repeat a given operation many times ■ Factorial example ■ Ask many information to the user ■other repetitive tasks		
■ We need to repeat a given operation many times ■ Factorial example ■ Ask many information to the user ■other repetitive tasks		
 We need to repeat a given operation many times □ Factorial example □ Ask many information to the user □other repetitive tasks □ Constructs for repeating operations → Iterative Constructs 		
 We need to repeat a given operation many times □ Factorial example □ Ask many information to the user □other repetitive tasks □ Constructs for repeating operations → Iterative Constructs 		
 □ Ask many information to the user □other repetitive tasks □ Constructs for repeating operations → Iterative 		

For - Next

- $\hfill\Box$ The For-Next loop is a "counting loop"
 - $\hfill \Box$ Automatically counts the number of times its operations are executed
 - Shall be used when the total number of operations to execute is a priori known
- □ Structure

For index = start_value To end_value
 body

Next index

For - Next

□ Print all the numbers between 0 and 10

```
Dim i As Integer
For i = 0 To 10
    MsgBox(i)
Next i
```

Introduction to VBA programming - (c) 2009 Dario Bonino

For - Next

Reverse loop can be generated using the Step clause

```
Dim i As Integer
For i = 100 To 0 Step -1
  MsgBox(i)
Next i
```

Introduction to VBA programming - (c) 2009 Dario Bonino

Factorial

```
Dim number As Integer
Dim factorial As Double
Dim i As Integer
'ask the number to the user
number = InputBox("Insert a positive number")
'init the factorial to 1
factorial = 1
If (number >= 0) Then
For i = 1 To number
factorial = factorial * i
Next i
MsgBox (number & "! = " & factorial)
Else
MsgBox ("Invalid Number...")
End If
Introduction to VBA programming - (c) 2009 Dario Bonino
```

Exit conditions

- □ For-next exits when the index has reached the end_value
- □ In some case we may want to exit before the end_value
 - E.g. we want to compute the average of a given amount of numbers by entering them one by one and we want to stop the loop at some point.
- □ Exit For
 - Allows for interrupting a For Next loop
 - Not really clean (if we need to use Exit for, then the For-Next loop might not be suited to our problem)

Introduction to VBA programming - (c) 2009 Dario Bonino

Example

```
For i = 1 To 10
    'ask the current number
    number = InputBox("Number?")
    If(number="stop") Then
        Exit For
    Else
        average = (average * (i-1) +
        Val(number))/i
        MsgBox ("Average = " & average)
    End If
Next i
```

Introduction to VBA programming - (c) 2009 Dario Bonino

Nested Loop

- $\hfill \Box$ We have to fill up a multiplication table
 - □ We need to compute all the products between row and column indexes

	1	2	3	4
1	1	2	3	4
2	2	4	6	8
3	3	6	9	12
4	4	8	12	16

Solution

```
Dim i As Integer

Dim j As Integer

Dim table As String

For i = 1 To 4

Table = Table & "|"

For j = 1 To 4

Table = Table & (i*j) & "|"

Next j

Table = Table & VBNewLine

Next i
```

Exercise 1

- Write a program that, given a number N, computes the sum of all the numbers between 1 and N
 - **E.g** N=4, sum = 4+3+2+1
 - $\hfill \square$ Solve it using a For Next cycle
 - $\hfill\Box$ Think what is the optimum solution
 - remember the Gauss formula

Introduction to VBA programming - (c) 2009 Dario Bonino

Exercise 2

- □ Write a program that, given a number N, computes the value of the Fibonacci series at the Nth iteration
 - N = 1, Fibonacci = **1**
 - N = 2, Fibonacci = 11
 - N = 3, Fibonacci = 11**2**
 - N = 4, Fibonacci = 112**3**
 - □ N = 5, Fibonacci = 1123**5**
 - N = 6, Fibonacci = 11235**8**
 - N = 7, Fibonacci = 112358**13**

	_
Exercise 3	
□ Write a program that asks a text to the user and	
inverts the case of all the text characters Text = "This Is ouR Text"	
□ newText = "tHIS iS Our tEXt"	
Introduction to VBA programming - (c) 2009 Dario Bonino	
initioniction to 4 to 2 programming - (c) 2007 Dailto Donnio	
Exercise 4	
Exercise 4	
Write a program that given a word provides all the possible rotation of the word	
□ Word = "Hello" □ Rotations = "Hello", "elloH", "lloHe", "loHel",	
Introduction to VBA programming - (c) 2009 Dario Bonino	
	1
Exercise 5-6-7	
□ Write a program that, given a text, counts all the	
uppercase and lowercase characters Write a program that asks the user a word and	
reverses it. The program shall continue to work unless the user enters the word "stop"	
 Write a program to check if a word is palindrome, i.e. if it is equal when read from left to right and 	
from right to left	
Introduction to VBA programming - (c) 2009 Dario Bonino	
	1

Do While - Loop Does some action while a condition holds Structure: Do While condition action Loop When we need to use it? Whenever the number of cycles to be executed is not a priori known Introduction to VBA programming - (c) 2009 Dario Bonino

Do-While Loop WARNING! If condition is not true the loop is never executed!! While-do loop Introduction to VBA programming - (c) 2009 Dario Bonino

Do-Loop While Similar to the Do-While but executes action at least 1 time Structure Do action Loop While condition When we need to use it? Whenever the number of cycles to be executed is not a priori known AND action must be executed at least once Introduction to VBA programming - (c) 2009 Dario Bonino

	1
Do-Loop While	
□ WARNING!	
□ The action is executed at least one time!	
body	
T condition	
F	
Introduction to VBA programming - (c) 2009 Dario Bonino	
	1
Exercise 1	
□ Write a program which lets you enter the price of	
several articles. The user will enter a price of zero to indicate that there are no more articles to be	
added. Once all the articles have been entered, the program must display the total price of all the	
articles.	
Introduction to VBA programming - (c) 2009 Dario Bonino	
]
Exercise 2	
□ Write a program that asks the user a word and	
reverses it. The program shall continue to work unless the user enters the word "stop"	
•	
Introduction to VBA programming - (c) 2009 Dario Bonino	

Exercise 3

- write a program which allows the user to enter a number of pollution readings (integers). As each pollution reading is entered the program should test the reading and print one of the following messages:
 - comfortable (for readings less than 30)
 - □ moderate (for reading less from 30 to 60 inclusive)
 - □ dangerous (for readings over 60).
- the program should stop when the user enters any negative pollution reading.

Introduction to VBA programming - (c) 2009 Dario Bonino

Exercise 4

 Write a program that given a decimal number N prints out the binary representation of the number

□ 10₁₀ → 0101₂

Introduction to VBA programming - (c) 2009 Dario Bonino

Exercise 5

- Write a number guessing game where the computer picks a number N between 1 and 1000 and the user is required to guess which number the computer has selected.
- $\hfill\Box$ The game ends if the user guesses the correct number
- ☐ The game ends if the user makes more than N guesses
- □ At each new guess the program displays
 - the string "higher" if the guess is higher than the selected number
 - the string "lower" if the guess is lower than the selected number

Do Until - Loop Does some action until a condition becomes true Structure: Do Until condition action Loop When we need to use it? Whenever the number of cycles to be executed is not a priori known Deed to loop untilcondition becomes true Equivalent to While Not (condition) Introduction to VBA programming - (c) 2009 Dario Bostino Do-Loop Until Similar to the Do-Until but executes action at least 1 time Structure Do

action

Equivalent to

Loop Until condition

When we need to use it?

Loop While Not (condition)

Introduction to VBA programming - (c) 2009 Dario Bonino

Whenever the number of cycles to be executed is not a priori known
 AND action must be executed at least once
 AND the cycle shall be executed until condition becomes true